

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-0000052-LIC

**CUSTOMER:**

Happi Co  
239 E Michigan, Suite 275  
Paw Paw, MI 49079



**SAMPLE INFORMATION**

**Sample No.:** 1228482  
**Product Name:** Happi Glow  
**Matrix:** Edible (Beverage)

**Date Collected:** 07/08/2024  
**Date Received:** 07/09/2024  
**Date Reported:** 07/15/2024

**TEST SUMMARY**

**Cannabinoid Profile:** ✔ Pass  
**Pesticide Residue Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass  
**Mycotoxin Screen:** ✔ Pass

**Microbiological Screen:** ✔ Pass  
**Residual Solvent Screen:** ✔ Pass  
**Foreign Material:** ✔ Pass

**Cannabinoid Profile** ✔ Pass

07/11/2024

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0008 mg/g  
**Limit of Quantitation** 0.0025 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/serving	mg/package	Labeled mg/serving	% Difference (mg/serving)	Status
Δ8-THC	ND	ND	ND	ND	ND	-	-	-
Δ9-THC	0.0200	0.002	0.0202	2.38	4.77	2.5	4.68	Pass
Δ9-THCA	ND	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	ND	-	-	-
CBD	0.0199	0.00199	0.0201	2.37	4.74	2.5	5.16	-
CBDA	ND	ND	ND	ND	ND	-	-	-
CBC	ND	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	ND	-	-	-
CBDV	ND	ND	ND	ND	ND	-	-	-
CBG	0.0115	0.00115	0.0116	1.37	2.74	1.5	8.66	-
CBGA	ND	ND	ND	ND	ND	-	-	-
CBN	0.0085	0.00085	0.0086	1.01	2.03	1	1.27	-
Total THC	0.02	0.002	0.0202	2.38	4.77	-	-	-
Total CBD	0.0199	0.00199	0.0201	2.37	4.74	-	-	-
Total Cannabinoids	0.0599	0.00599	0.0605	7.14	14.27	-	-	-
Sum of Cannabinoids	0.0599	0.00599	0.0605	7.14	14.27	-	-	-
<b>Serving Weight (g)</b>	119.1446							
<b>Package Weight (g)</b>	238.2892							
<b>g/ml Conversion Factor</b>	1.0097							

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Microbiological Screen** ✔ Pass

07/15/2024

Analyte	Findings	Status
Salmonella	Not Detected in 25g	Pass
STEC	Not Detected in 25g	Pass
Yeast	0/10	-
Mold	0/10	-

**Pesticide Residue Screen** ✔ Pass

07/11/2024

**Method:** MF-CHEM-13  
**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Abamectin	0.015/0.05	ND	0.05	Pass
Acephate	0.015/0.05	ND	0.05	Pass

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Acequinocyl	0.003/0.01	ND	0.01	Pass
Acetamiprid	0.003/0.01	ND	0.01	Pass
Aldicarb	0.006/0.02	ND	0.02	Pass
Allethrin	0.03/0.1	ND	0.1	Pass
Ancymidol	0.06/0.2	ND	0.2	Pass
Azadirachtin	0.15/0.5	ND	0.5	Pass
Azoxystrobin	0.003/0.01	ND	0.01	Pass
Benzovindiflupyr	0.003/0.01	ND	0.01	Pass
Bifenazate	0.003/0.01	ND	0.01	Pass
Bifenthrin	0.003/0.01	ND	0.01	Pass
Boscalid	0.003/0.01	ND	0.01	Pass
Buprofezin	0.003/0.01	ND	0.01	Pass
Captan	0.015/0.05	ND	0.05	Pass
Carbaryl	0.006/0.02	ND	0.02	Pass
Carbofuran	0.003/0.01	ND	0.01	Pass
Chlorantraniliprole	0.003/0.01	ND	0.01	Pass
Chlordane	0.03/0.1	ND	0.1	Pass
Chlorfenapyr	0.015/0.05	ND	0.05	Pass
Chlormequat	0.003/0.01	ND	0.01	Pass
Chlorpyrifos	0.003/0.01	ND	0.01	Pass
Clofentezine	0.003/0.01	ND	0.01	Pass
Clothianidin	0.008/0.025	ND	0.025	Pass
Coumaphos	0.003/0.01	ND	0.01	Pass
Cyantraniliprole	0.003/0.01	ND	0.01	Pass
Cyfluthrin	0.015/0.05	ND	0.05	Pass
Cypermethrin	0.015/0.05	ND	0.05	Pass
Cyprodinil	0.08/0.25	ND	0.25	Pass
Daminozide	0.003/0.01	ND	0.01	Pass
Deltamethrin	0.3/1	ND	1	Pass
Dichlorvos (DDVP)	0.006/0.02	ND	0.02	Pass
Diazinon	0.003/0.01	ND	0.01	Pass
Dimethoate	0.0006/0.002	ND	0.002	Pass
Dimethomorph	0.015/0.05	ND	0.05	Pass
Dinotefuran	0.015/0.05	ND	0.05	Pass
Dodemorph	0.015/0.05	ND	0.05	Pass
Endosulfan Sulphate	0.15/0.5	ND	0.5	Pass
Endosulfan-alpha	0.03/0.1	ND	0.1	Pass
Endosulfan-beta	0.15/0.5	ND	0.5	Pass
Ethoprophos	0.003/0.01	ND	0.01	Pass
Etofenprox	0.003/0.01	ND	0.01	Pass
Etoxazole	0.003/0.01	ND	0.01	Pass
Etridiazole	0.003/0.01	ND	0.01	Pass
Fenhexamid	0.006/0.02	ND	0.02	Pass
Fenoxycarb	0.003/0.01	ND	0.01	Pass
Fenpyroximate	0.006/0.02	ND	0.02	Pass
Fensulfothion	0.003/0.01	ND	0.01	Pass
Fenthion	0.003/0.01	ND	0.01	Pass
Fenvalerate	0.03/0.1	ND	0.1	Pass
Fipronil	0.003/0.01	ND	0.01	Pass
Flonicamid	0.008/0.025	ND	0.025	Pass
Fludioxonil	0.003/0.01	ND	0.01	Pass
Fluopyram	0.003/0.01	ND	0.01	Pass
Flurprimidol	0.06/0.2	ND	0.2	Pass
Hexythiazox	0.003/0.01	ND	0.01	Pass
Imazalil	0.003/0.01	ND	0.01	Pass
Imidacloprid	0.003/0.01	ND	0.01	Pass
Indole-3-butyric acid	0.3/1.0	ND	1.0	Pass
Iprodione	0.15/0.5	ND	0.5	Pass
Kinoprene	0.015/0.05	ND	0.05	Pass
Kresoxim-methyl	0.003/0.01	ND	0.01	Pass
Malathion	0.003/0.01	ND	0.01	Pass
Metalaxyl	0.003/0.01	ND	0.01	Pass
Methiocarb	0.003/0.01	ND	0.01	Pass
Methomyl	0.015/0.05	ND	0.05	Pass
Methoprene	0.3/1	ND	1	Pass
Parathion methyl	0.009/0.03	ND	0.03	Pass
Mevinphos	0.008/0.025	ND	0.025	Pass
MGK-264	0.015/0.05	ND	0.05	Pass
Myclobutanil	0.003/0.01	ND	0.01	Pass
Naled	0.03/0.1	ND	0.1	Pass

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Novaluron	0.008/0.025	ND	0.025	Pass
Oxamyl	0.015/0.05	ND	0.05	Pass
Paclbutrazol	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzne (Quintozene)	0.003/0.01	ND	0.01	Pass
Permethrins	0.012/0.04	ND	0.04	Pass
Phenothrin	0.008/0.025	ND	0.1	Pass
Piperonyl butoxide	0.03/0.1	ND	0.1	Pass
Prallethrin	0.015/0.05	ND	0.05	Pass
Phosmet	0.003/0.01	ND	0.01	Pass
Pirimicarb	0.003/0.01	ND	0.01	Pass
Propiconazole	0.003/0.01	ND	0.01	Pass
Propoxur	0.003/0.01	ND	0.01	Pass
Pyraclostrobin	0.003/0.01	ND	0.01	Pass
Pyrethrins	0.008/0.025	ND	0.05	Pass
Pyridaben	0.003/0.01	ND	0.01	Pass
Resmethrin	0.006/0.02	ND	0.05	Pass
Spinetoram	0.003/0.01	ND	0.01	Pass
Spinosad	0.003/0.01	ND	0.01	Pass
Spirodiclofen	0.08/0.25	ND	0.25	Pass
Spiromesifen	0.003/0.01	ND	0.01	Pass
Spirotetramet	0.003/0.01	ND	0.01	Pass
Spiroxamine	0.003/0.01	ND	0.01	Pass
Tebuconazole	0.003/0.01	ND	0.01	Pass
Tebufenozide	0.003/0.01	ND	0.01	Pass
Teflubenzuron	0.008/0.025	ND	0.025	Pass
Tetrachlorvinphos	0.003/0.01	ND	0.01	Pass
Tetramethrin	0.015/0.05	ND	0.05	Pass
Thiadoprid	0.003/0.01	ND	0.01	Pass
Thiamethoxam	0.003/0.01	ND	0.01	Pass
Thiophanate-methyl	0.009/0.03	ND	0.03	Pass
Trifloxystrobin	0.003/0.01	ND	0.01	Pass

## Residual Solvent Screen ✔ Pass

07/11/2024

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	2950.00	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

## Heavy Metal Screen ✔ Pass

07/11/2024

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.125	ND	0.5	Pass

**Foreign Material** ✔ Pass

07/11/2024

Method: MF-MACRO-5

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

**Mycotoxin Screen**

07/11/2024

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

Reported by

Vu Lam  
Lab Co Director



Scan to verify