

Certificate of Analysis

ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



CUSTOMER:

Surly Brewing Company 4811 Dusharme Dr Brooklyn Center, MN 55429

SAMPLE INFORMATION

	onade oonated Beverage) est by: 7/17/25	Date Received: 07/19/2024 Date Reported: 07/24/2024
TEST SUMMARY		
Cannabinoid Profile:	🔮 Pass	Microbiological Screen:
Pesticide Residue Screen:	🔮 Pass	Residual Solvent Screen:
Heavy Metal Screen:	🔮 Pass	Foreign Material:
Mycotoxin Screen:	🔮 Pass	

Cannabinoid Profile Sease

07/23/2024

PassPass

Pass

0/ D:55

Method:	MF-CHEM-15
Instrument:	Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection	0.0008 mg/g
Limit of Quantitation	0.0025 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/package	Labeled mg/package	% Difference (mg/ package)	Status
Δ8-THC	ND	ND	ND	ND	-	-	-
Δ9-THC	0.0224	0.00224	0.0230	5.10	5	2.03	Pass
Δ9-THCA	ND	ND	ND	ND	-	-	-
THCV	0.0241	0.00241	0.0247	5.49	5	9.78	-
THCVA	ND	ND	ND	ND	-	-	-
CBD	ND	ND	ND	ND	-	-	-
CBDA	ND	ND	ND	ND	-	-	-
СВС	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	-	-	-
CBDV	ND	ND	ND	ND	-	-	-
CBG	0.0234	0.00234	0.0240	5.33	5	6.59	-
CBGA	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	-	-	-
Total THC	0.0224	0.00224	0.0230	5.10	-	-	-
Total CBD	ND	ND	ND	ND	-	-	-
Total Cannabinoids	0.0699	0.00699	0.0717	15.92	-	-	-
Sum of Cannabinoids	0.0699	0.00699	0.0717	15.92	-	-	-
	227 7400						

Package Weight (g) 227.7498

g/ml Conversion Factor

Total THC = Δ 8-THC + Δ 9-THC + (0.877 * THCA) Total CBD = CBD + (0.877 * CBDA) Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen 📀 Pass

Analyte	Method	Findings	Status
Salmonella	MF-MICRO-11	Not Detected in 25g	Pass
STEC	MF-MICRO-18	Not Detected in 25g	Pass

Pesticide Residue Screen 📀 Pass

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass

Anresco Laboratories www.anresco.com

1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1232313 Lot #: wana001 best by: 7/17/25 Page **1** of **4** Report ID: S-3

07/24/2024

07/23/2024

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



Certificate of Analysis

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
	0.02/0.06		0.02	
Coumaphos		ND		Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
	0.013/0.04			
Methomyl		ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.02/0.08	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
•				
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Page **2** of **4** Report ID: S-3

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



Residual Solvent Screen 📀 Pass

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

07/23/2024

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	580.00	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen **O** Pass

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.125	ND	0.5	Pass

Foreign Material 🔮 Pass

Method: MF-MACRO-5

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Mycotoxin Screen 🔮 Pass

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1232313 Lot #: wana001 best by: 7/17/25 Page **3** of **4** Report ID: S-3

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

07/23/2024

07/23/2024

07/23/2024



Certificate of Analysis

ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation

Can to verify

Reported by



Lab Co Director

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1232313 Lot #: wana001 best by: 7/17/25 Page **4** of **4** Report ID: S-3

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.