

July 14, 2025


KRIA BOTANICALS
856 Hercules Drive
Colchester, VT 05446

Order No. 574814
Sample No. 1320330

SAMPLE INFORMATION

Description Wana D9 Classic Blueberry Lemonade Gummy
Lot Number 0018725WABL0709
Category (Type) Non-Inhalable Edible (Gummy)
Received July 10, 2025

ANALYTICAL RESULTS

Analysis Cannabinoid Profile  **Tested**
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF-CHEM-15
Analysis Date July 10, 2025 to July 14, 2025

Cannabinoid	mg/g	%	mg/serving
Δ8-THC	ND	ND	ND
Δ9-THC	2.45	0.245	11.24
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	2.38	0.238	10.95
CBDA	ND	ND	ND
CBC	<LOQ	<LOQ	<LOQ
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	2.44	0.244	11.23
CBGA	ND	ND	ND
CBN	<LOQ	<LOQ	<LOQ
Exo-THC	ND	ND	ND
(6aR,9R)-Δ10-THC	ND	ND	ND
(6aR,9S)-Δ10-THC	ND	ND	ND
9(R)-Hexahydrocannabinol	ND	ND	ND
9(S)-Hexahydrocannabinol	ND	ND	ND
Δ8-THC-O-Acetate	ND	ND	ND
Δ9-THC-O-Acetate	ND	ND	ND
THC-O-Phosphate	NT	NT	NT
Total THC	2.45	0.245	11.24
Total CBD	2.38	0.238	10.95
Total Cannabinoids	7.28	0.728	33.41
Sum of Cannabinoids	7.28	0.728	33.41
Serving Weight (g)	4.5925		

Comments

Insufficient sample amount for retesting.

Reported by
Anresco, Inc.


Ricky Liang
Analyst II



NT = Not Tested
ND = None Detected
LOD = Limit of Detection (0.0333 mg/g)
LOQ = Limit of Quantitation (0.1000 mg/g)
Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

July 14, 2025

If there are any questions with this report, please contact "compliance@anresco.com".

July 14, 2025

KRIA BOTANICALS
856 Hercules Drive
Colchester, VT 05446

Order No. 574814
Sample No. 1320330

SAMPLE INFORMATION

Description Wana D9 Classic Blueberry Lemonade Gummy
Lot Number 0018725WABL0709
Category (Type) Non-Inhalable Edible (Gummy)
Received July 10, 2025

ANALYTICAL RESULTS

Analysis Residual Solvent Screen ✔ Pass
Instrument Gas Chromatography Mass Spectrometry (GC/MS)
Method MF-CHEM-32
Analysis Date July 10, 2025 to July 14, 2025

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	580.00	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Reported by
Anresco, Inc.

NT = Not Tested
ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation


Alma Dorantes
Analyst I



July 14, 2025

If there are any questions with this report, please contact "compliance@anresco.com".

July 13, 2025

KRIA BOTANICALS
856 Hercules Drive
Colchester, VT 05446

Order No. 574814
Sample No. 1320330

SAMPLE INFORMATION

Description Wana D9 Classic Blueberry Lemonade Gummy
Lot Number 0018725WABL0709
Category (Type) Non-Inhalable Edible (Gummy)
Received July 10, 2025

ANALYTICAL RESULTS

Analysis Mycotoxins Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date July 10, 2025 to July 13, 2025

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Reported by
Anresco, Inc.


Khoa Nguyen
Analyst II



NT = Not Tested
ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

July 13, 2025

If there are any questions with this report, please contact "compliance@anresco.com".

July 14, 2025

KRIA BOTANICALS
856 Hercules Drive
Colchester, VT 05446

Order No. 574814
Sample No. 1320330

SAMPLE INFORMATION

Description Wana D9 Classic Blueberry Lemonade Gummy
Lot Number 0018725WABL0709
Category (Type) Non-Inhalable Edible (Gummy)
Received July 10, 2025

ANALYTICAL RESULTS

Analysis Water Activity
Instrument Water Activity Meter
Method MF-CHEM-14
Analysis Date July 10, 2025 to July 15, 2025

Analyte	Findings	Limit	Status
Water Activity	0.68	0.85	Pass

Reported by
Anresco, Inc.

NT = Not Tested
ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation



Eric Tam
Senior Chemist

July 14, 2025

If there are any questions with this report, please contact "compliance@anresco.com".

July 14, 2025


KRIA BOTANICALS
856 Hercules Drive
Colchester, VT 05446

Order No. 574814
Sample No. 1320330

SAMPLE INFORMATION

Description Wana D9 Classic Blueberry Lemonade Gummy
Lot Number 0018725WABL0709
Category (Type) Non-Inhalable Edible (Gummy)
Received July 10, 2025

ANALYTICAL RESULTS

Analysis Foreign Material  **Pass**
Method MF-CHEM-7
Analysis Date July 10, 2025 to July 15, 2025

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Reported by
Anresco, Inc.



Eric Tam
Senior Chemist

July 14, 2025

NT = Not Tested
ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

If there are any questions with this report, please contact "compliance@anresco.com".

July 13, 2025

KRIA BOTANICALS
856 Hercules Drive
Colchester, VT 05446

Order No. 574814
Sample No. 1320330

SAMPLE INFORMATION

Description Wana D9 Classic Blueberry Lemonade Gummy
Lot Number 0018725WABL0709
Category (Type) Non-Inhalable Edible (Gummy)
Received July 10, 2025

ANALYTICAL RESULTS

Analysis Pesticide Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date July 10, 2025 to July 13, 2025

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.015/0.05	ND	0.05	Pass
Acephate	0.003/0.01	ND	0.01	Pass
Acequinocyl	0.003/0.01	ND	0.01	Pass
Acetamiprid	0.003/0.01	ND	0.01	Pass
Aldicarb	0.003/0.01	ND	0.01	Pass
Azoxystrobin	0.003/0.01	ND	0.01	Pass
Bifenazate	0.003/0.01	ND	0.01	Pass
Bifenthrin	0.003/0.01	ND	0.01	Pass
Boscalid	0.003/0.01	ND	0.01	Pass
Captan	0.250/0.7	ND	0.7	Pass
Carbaryl	0.003/0.01	ND	0.01	Pass
Carbofuran	0.003/0.01	ND	0.01	Pass
Chlorantraniliprole	0.003/0.01	ND	0.01	Pass
Chlordane	0.020/0.06	ND	0.06	Pass
Chlorfenapyr	0.015/0.05	ND	0.05	Pass
Chlorpyrifos	0.003/0.01	ND	0.01	Pass
Clofentezine	0.003/0.01	ND	0.01	Pass
Coumaphos	0.003/0.01	ND	0.01	Pass
Cyfluthrin	0.015/0.05	ND	0.05	Pass
Cypermethrin	0.015/0.05	ND	0.05	Pass
Daminozide	0.003/0.01	ND	0.01	Pass
DDVP (Dichlorvos)	0.003/0.01	ND	0.01	Pass
Diazinon	0.003/0.01	ND	0.01	Pass
Dimethoate	0.003/0.01	ND	0.01	Pass
Dimethomorph	0.003/0.01	ND	0.01	Pass
Ethoprop(hos)	0.003/0.01	ND	0.01	Pass
Etofenprox	0.003/0.01	ND	0.01	Pass
Etoxazole	0.003/0.01	ND	0.01	Pass
Fenhexamid	0.007/0.02	ND	0.02	Pass
Fenoxycarb	0.003/0.01	ND	0.01	Pass
Fenpyroximate	0.007/0.02	ND	0.02	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Fipronil	0.003/0.01	ND	0.01	Pass
Flonicamid	0.003/0.01	ND	0.01	Pass
Fludioxonil	0.003/0.01	ND	0.01	Pass
Hexythiazox	0.003/0.01	ND	0.01	Pass
Imazalil	0.003/0.01	ND	0.01	Pass
Imidacloprid	0.003/0.01	ND	0.01	Pass
Kresoxim Methyl	0.003/0.01	ND	0.01	Pass
Malathion	0.003/0.01	ND	0.01	Pass
Metalaxyl	0.003/0.01	ND	0.01	Pass
Methiocarb	0.003/0.01	ND	0.01	Pass
Methomyl	0.003/0.01	ND	0.01	Pass
Methyl parathion	0.003/0.01	ND	0.01	Pass
Mevinphos	0.007/0.02	ND	0.02	Pass
Myclobutanil	0.003/0.01	ND	0.01	Pass
Naled	0.003/0.01	ND	0.01	Pass
Oxamyl	0.003/0.01	ND	0.01	Pass
Paclobutrazol	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.003/0.01	ND	0.01	Pass
Permethrins	0.015/0.05	ND	0.05	Pass
Phosmet	0.003/0.01	ND	0.01	Pass
Piperonyl Butoxide	0.003/0.01	ND	0.01	Pass
Prallethrin	0.015/0.05	ND	0.05	Pass
Propiconazole	0.003/0.01	ND	0.01	Pass
Propoxur	0.003/0.01	ND	0.01	Pass
Pyrethrins	0.015/0.05	ND	0.05	Pass
Pyridaben	0.003/0.01	ND	0.01	Pass
Spinetoram	0.003/0.01	ND	0.01	Pass
Spinosad	0.003/0.01	ND	0.01	Pass
Spiromesifen	0.003/0.01	ND	0.01	Pass
Spirotetramat	0.003/0.01	ND	0.01	Pass
Spiroxamine	0.003/0.01	ND	0.01	Pass
Tebuconazole	0.003/0.01	ND	0.01	Pass
Thiacloprid	0.003/0.01	ND	0.01	Pass
Thiamethoxam	0.003/0.01	ND	0.01	Pass
Trifloxystrobin	0.003/0.01	ND	0.01	Pass
2-Phenylphenol	0.08/0.25	ND	0.25	Pass
3,4-Dichloroaniline	0.08/0.25	ND	0.25	Pass
Acetochlor	0.05/0.15	ND	0.5	Pass
Alachlor	0.05/0.15	ND	0.25	Pass
Allethrin	0.015/0.05	ND	0.05	Pass
Ametryn	0.03/0.10	ND	0.5	Pass
Aminocarb	0.03/0.10	ND	0.25	Pass
Ancymidol	0.02/0.06	ND	0.06	Pass
Anthraquinone	0.05/0.15	ND	0.25	Pass
Atrazine	0.007/0.02	ND	0.02	Pass
Azadirachtin	0.100/0.30	ND	0.3	Pass
Benzovindiflupyr	0.003/0.01	ND	0.01	Pass
Biphenyl	0.08/0.25	ND	0.25	Pass
Buprofezin	0.003/0.01	ND	0.01	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Carbendazim	0.03/0.10	ND	0.5	Pass
Chlormequat Chloride	0.03/0.10	ND	0.1	Pass
Clothianidin	0.003/0.01	ND	0.01	Pass
Cyantraniliprole	0.003/0.01	ND	0.01	Pass
Cycloate	0.08/0.25	ND	0.5	Pass
Cyhalothrin (Lambda)	0.030/0.10	ND	0.1	Pass
Cyprodinil	0.03/0.10	ND	0.1	Pass
Cyromazine	0.03/0.10	ND	0.5	Pass
DCPA (Dacthal, Chlorthal-dimethyl)	0.03/0.10	ND	0.5	Pass
Deltamethrin I/II	0.015/0.05	ND	0.05	Pass
Diclobutrazol	0.02/0.06	ND	0.5	Pass
Diflubenzuron	0.08/0.25	ND	0.5	Pass
Dinotefuran	0.007/0.02	ND	0.02	Pass
Diphenylamine	0.08/0.25	ND	0.5	Pass
Diuron	0.007/0.02	ND	0.02	Pass
Dodemorph	0.003/0.01	ND	0.01	Pass
Endosulfan I (alpha)	0.015/0.05	ND	0.05	Pass
Endosulfan II (beta)	0.015/0.05	ND	0.05	Pass
Endosulfan Sulfate	0.015/0.05	ND	0.05	Pass
Ethirimol	0.02/0.06	ND	0.5	Pass
Etridiazole	0.003/0.01	ND	0.01	Pass
Fensulfothion	0.003/0.01	ND	0.01	Pass
Fenthion	0.003/0.01	ND	0.01	Pass
Fenvalerate	0.015/0.05	ND	0.05	Pass
Fluopyram	0.003/0.01	ND	0.01	Pass
Flurprimidol	0.03/0.10	ND	0.1	Pass
Flutriafol	0.05/0.15	ND	0.5	Pass
Formetanate HCl	0.03/0.10	ND	0.1	Pass
Hexaconazole	0.05/0.15	ND	0.5	Pass
Hydramethylnon	0.05/0.15	ND	0.5	Pass
Indole-3-butyric Acid	0.08/0.25	ND	0.25	Pass
Indoxacarb	0.05/0.15	ND	0.5	Pass
Iprodione	0.015/0.05	ND	0.05	Pass
Kinoprene	0.015/0.05	ND	0.05	Pass
Mandipropamid	0.03/0.10	ND	0.5	Pass
Metaflumizone	0.08/0.25	ND	0.5	Pass
Methoprene	0.100/0.30	ND	0.3	Pass
Methoxyfenozide	0.02/0.06	ND	0.5	Pass
Metolachlor	0.05/0.15	ND	0.25	Pass
MGK 264	0.015/0.05	ND	0.05	Pass
Novaluron	0.007/0.02	ND	0.02	Pass
Nuarimol	0.05/0.15	ND	0.5	Pass
o,p'-DDD	0.03/0.10	ND	0.1	Pass
o,p'-DDE	0.03/0.10	ND	0.1	Pass
o,p'-DDT	0.03/0.10	ND	0.1	Pass
p,p'-DDD	0.03/0.10	ND	0.1	Pass
p,p'-DDE	0.03/0.10	ND	0.1	Pass
p,p'-DDT	0.03/0.10	ND	0.1	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Pendimethalin	0.030/0.10	ND	0.1	Pass
Pentachloroanisole	0.10/0.30	ND	0.5	Pass
Phenothrin	0.030/0.10	ND	0.1	Pass
Pirimicarb	0.003/0.01	ND	0.01	Pass
Prometryne	0.02/0.06	ND	0.5	Pass
Propamocarb	0.08/0.25	ND	0.5	Pass
Propargite	0.08/0.25	ND	0.5	Pass
Propyzamide	0.05/0.15	ND	0.5	Pass
Pymetrozine	0.03/0.10	ND	0.5	Pass
Pyraclostrobin	0.003/0.010	ND	0.01	Pass
Pyrimethanil	0.03/0.10	ND	0.5	Pass
Pyriproxyfen	0.003/0.01	ND	0.01	Pass
Quinoxifen	0.03/0.10	ND	0.5	Pass
Resmethrin	0.007/0.02	ND	0.02	Pass
Spirodiclofen	0.050/0.15	ND	0.15	Pass
Sulfoxaflor	0.03/0.10	ND	0.25	Pass
Tau-Fluvalinate	0.08/0.25	ND	0.5	Pass
Tebufozide	0.003/0.01	ND	0.01	Pass
Teflubenzuron	0.007/0.02	ND	0.02	Pass
Terbutryn	0.02/0.06	ND	0.25	Pass
Tetrachlorvinphos	0.003/0.01	ND	0.01	Pass
Tetramethrin	0.015/0.05	ND	0.05	Pass
Thiabendazole	0.007/0.02	ND	0.02	Pass
Thiobencarb	0.03/0.10	ND	0.5	Pass
Thiophanate-methyl	0.007/0.02	ND	0.02	Pass
Tricyclazole	0.02/0.06	ND	0.5	Pass
Triflumizole	0.05/0.15	ND	0.5	Pass

Reported by
Anresco, Inc.


Khoa Nguyen
Analyst II



NT = Not Tested
ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

July 13, 2025

If there are any questions with this report, please contact "compliance@anresco.com".

July 16, 2025

KRIA BOTANICALS
856 Hercules Drive
Colchester, VT 05446

Order No. 574814
Sample No. 1320330

SAMPLE INFORMATION

Description Wana D9 Classic Blueberry Lemonade Gummy
Lot Number 0018725WABL0709
Category (Type) Non-Inhalable Edible (Gummy)
Received July 10, 2025

ANALYTICAL RESULTS

Analysis Heavy Metal Screen - Universal Hemp ✔ Pass
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method MF 24E020
Analysis Date July 10, 2025 to July 16, 2025

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit	Status
Arsenic	0.02/0.05	ND	0.2	Pass
Cadmium	0.02/0.05	ND	0.2	Pass
Mercury	0.02/0.05	ND	0.1	Pass
Lead	0.02/0.05	ND	0.5	Pass

Reported by
Anresco, Inc.

NT = Not Tested
ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation



Eric Tam
Senior Chemist

July 16, 2025

If there are any questions with this report, please contact "compliance@anresco.com".

July 17, 2025

KRIA BOTANICALS
856 Hercules Drive
Colchester, VT 05446

Order No. 574814
Sample No. 1320330

SAMPLE INFORMATION

Description Wana D9 Classic Blueberry Lemonade Gummy
Lot Number 0018725WABL0709
Category (Type) Non-Inhalable Edible (Gummy)
Received July 10, 2025

ANALYTICAL RESULTS

Analysis Microbiological Screen - Universal Hemp ✔ Pass
Analysis Date July 10, 2025 to July 17, 2025

Analyte	Findings	Method	Limit	Status
Salmonella	ND /1g	AOAC 2016.01	ND	Pass
STEC	ND /1g	Neogen MDS STEC	ND	Pass
Aspergillus	ND /1g	GENE- UP ASPERGILLUS PRO	ND	Pass
Listeria Species	ND /1g	AOAC 2016.07	ND	Pass
Total Aerobic Plate Count	<10 cfu/g	FDA BAM	100	Pass
Total Coliforms	<10 cfu/g	FDA BAM - ECC Agar	100	Pass
E. Coli	ND /1g	FDA BAM Modified	1	Pass
Total Enterobacteriaceae	<10 cfu/g	AOAC 2003.01	ND	Pass
Staphylococcus aureus	<10 cfu/g	AOAC 2003.07	ND	Pass

Reported by
Anresco, Inc.



Allen Zhu
Analyst

July 17, 2025

If there are any questions with this report, please contact "compliance@anresco.com".

July 17, 2025


KRIA BOTANICALS
856 Hercules Drive
Colchester, VT 05446

Order No. 574814
Sample No. 1320330

SAMPLE INFORMATION

Description Wana D9 Classic Blueberry Lemonade Gummy
Lot Number 0018725WABL0709
Category (Type) Non-Inhalable Edible (Gummy)
Received July 10, 2025

ANALYTICAL RESULTS

Analysis Yeast and Mold - Universal Hemp  **Pass**
Method FDA BAM
Analysis Date July 10, 2025 to July 17, 2025

Analyte	Findings (cfu/g)	Limit	Status
Total Yeast and Mold	<10	1,000	Pass

Reported by
Anresco, Inc.



Allen Zhu
Analyst

July 17, 2025

If there are any questions with this report, please contact "compliance@anresco.com".